

Available online at www.sciencedirect.com

ScienceDirect

journal homepage: www.elsevier.com/locate/oceano



CHRONICLE

The Polish National Scientific Conference "Baltic 2015" and the inauguration of the "SatBałtyk" satellite monitoring system

The Polish National Conference on *The state, trends and contemporary changes in monitoring the Baltic Sea environment "Baltic 2015"* took place at the Institute of Oceanology, Polish Academy of Sciences, on 14–16 October 2015. The event was held under the patronage of the Polish Space Agency and the Marshals of the Provinces of Pomerania and Western Pomerania. Among the personages appointed to the Honorary Conference Committee were the Minister for Science and Higher Education Lena Kolarska-Bobińska and the Minister for the Environment Maciej Grabowski.

The Conference was co-organised by the following institutions:

- The Polish Scientific Committee on Oceanic Research (Polish Academy of Sciences);
- The Polish Space Agency;
- The Marine Fisheries Institute;
- The Institute of Meteorology and Water Management Maritime Branch;
- The Maritime Institute, Gdańsk;
- The Polish Geological Institute (Department of Marine Geology);
- The SatBałtyk Consortium, whose members are:
 - The Institute of Oceanology, Polish Academy of Sciences (coordinator);

The Marine Science Institute, University of Szczecin; The Institute of Oceanography, University of Gdańsk; The Institute of Physics, Pomeranian Academy, Słupsk.

Peer review under the responsibility of Institute of Oceanology of the Polish Academy of Sciences.



Production and hosting by Elsevier

The Conference covered five themes: Session 1. The history and future of monitoring the Baltic environment (chaired by Prof. Tomasz Linkowski); Session 2. The climate and circulation of Baltic waters (chaired by Prof. Witold Cieślikiewicz), Session 3. Monitoring chemical threats to the Baltic (chaired by Prof. Lucyna Falkowska), Session 4. Satellite monitoring — the SatBałtyk System (part 1: chaired by Prof. Vladimir Tomin, part 2: chaired by Prof. Marek Moszyński), Session 5. Processes on the bottom and shores of the Baltic (chaired by Prof. Ryszard Kotliński), Session 6. Threats to and transformations of the Baltic biosphere (part 1: chaired by Prof. Maciej Wołowicz, part 2: chaired by Prof. Marcin Pliński).

During the conference the experts in various oceanological disciplines, invited by the Honorary Conference Committee, delivered 23 lectures. In addition, there were 32 posters, selected from those submitted. The conference was broadcast live on TASK television.

More information on the aims of the Conference and its programme, as well as abstracts of the lectures and posters, can be found at http://www.iopan.gda.pl/baltyk2015/. The lectures, recorded by TASK TV, are accessible at http://tv.task.gda.pl.

More than 250 people participated in the Conference, including invited representatives of local and national administrations — decision-makers regarding the utilisation and conservation of the resources and environment of the Baltic Sea.

One of the key aspects of the programme was the ceremonial inauguration of the Satellite System for the Comprehensive Monitoring of the Baltic Sea Environment, which continually monitors some 70 different structural and functional properties of this ecosystem, presenting them in the form of maps, numerical data and graphs on the website http://satbaltyk.iopan.gda.pl/.

The SatBaltyk system utilises measurement data from a number of satellites systematically monitoring the Baltic as well as two complex systems of mathematical models: the II Chronicle

Table 1 Selected parameters of the Baltic Sea environment determined by the SatBaltyk System (translation from Ostrowska et al., 2015).

Parameter Additional information

1. Parameter group: Atmosphere, meteorology

Air temperature 1.5 or 2 m above the surface
Cloudiness Total, low-, medium- and high-level
Wind Speed and direction 10 m above the surface
Air humidity Relative and specific 1.5 or 2 m above the surface

Energy flux Fluxes of radiation (solar, photosynthetically active and long-wave) and sensible and

latent heat

Rainfall Convectional and stratiform
Snowfall Convectional and stratiform

2. Parameter group: Hydrology

Sea level Inclination of the sea surface with respect to its mean level

Sea surface temperature In the surface layer of sea water

Water temperature At different depths
Water salinity At different depths
Sea currents Speed and direction

Ice Range, concentration, thickness, drifting speed

Secchi depth Range of visibility of a Secchi disc (a white disc in daylight)

3. Parameter group: Marine optics

Coefficient of light attenuation In the surface water layer, for different wavelengths
Coefficient of light absorption At different depths, for different wavelengths
Coefficient of light scattering In the surface water layer, for different wavelengths

Coefficient of irradiance attenuation with At different depths in the visible light spectral interval (photosynthetically active,

increasing depth in the sea 400-700 nm)

Range of visibility in the water In the horizontal direction in the surface water layer

Extent of the euphotic zone The depth reached by 1% of the visible (photosynthetically active) light flux

penetrating the sea surface

4. Parameter group: Energy balance

Solar radiation Downward and upward flux of short-wave radiation (0.3–4 μm) above the sea

surface; instantaneous, mean daily, doses

Thermal radiation Downward and upward flux of long-wave radiation (4 $-100 \mu m$) above the sea

surface; daily mean values

Radiation balance Resultant daily mean values above the sea surface

Remote reflectance For different wavelengths

Energy in photosynthesis Photosynthetically active entering the sea (400–700 nm); absorbed by

phytoplankton cells; converted into the chemical energy of organic matter

Latent heat Mean 24 h flux Sensible heat Mean 24 h flux

5. Parameter group: Sea water components

Dissolved oxygen concentration In the surface water layer

Nutrient concentrations Nitrates NO_3 , phosphates PO_4 , silicates SiO_4 in the surface water layer Chlorophyll concentrations Chlorophyll a, chlorophyll b and chlorophyll c at different depths

Carotenoid concentrations Photosynthetic, photo-protecting, at different depths

Phycobilin concentration At different depths
SPM concentration In the surface water layer

6. Parameter group: Phytoplankton, photosynthesis

Photosynthetic yield Maximum, and in the surface water layer

Rate of photosynthesis 24 h mean in the water column under 1 m² of sea surface

Primary production The mass of organic matter produced during photosynthesis in the water column

under 1 m² of sea surface in 24 h

Phytoplankton biomass The mass of carbon in phytoplankton cells in the surface water layer

Energy absorbed by phytoplankton In 24 h in the water column under 1 m² of sea surface

Molecular oxygen flux Released during 24 h as a result of photosynthesis in the water column under 1 m² of

sea surface

Table 1 (Continued)	
Parameter	Additional information
7. Parameter group: Coastal zone	
Extent of swash zone	Reached by storm waves along the Polish coast
Width of dry beach	Not inundated $-$ to the base of the dune
Danger from rip currents	Potential occurrence, pilot-programme sections
Dune erosion	The volume of material carried away as a result of erosion by storm waves, pilot-programme sections
8. Parameter group: Threats	
Storm threats	Areas of strong winds
Oil spills	Areas where petroleum derivatives may occur on the water surface
lcing	Extent of ice cover
Threats to the shoreline	Erosion and inundation by storm waves, rip currents

diagnostic ones go by the general name of DESAMBEM¹ (Darecki et al., 2008; Woźniak et al., 2008), while the prognostic ones are referred to as BALTFOS² (Nowicki et al., 2015; Ołdakowski et al., 2005 and others cited in Ostrowska et al., 2015). The environmental parameters determined with the aid of these two systems complement one another: BALTFOS assimilates empirical data obtained from satellite information using the DESAMBEM algorithm, while at the same time filling in gaps in the DESAMBEM data when the measurements could not be made because the relevant areas were covered by clouds, i.e. when the satellite did not "see" the sea.

The SatBałtyk System is continually being calibrated and corrected on the basis of in situ measurements acquired during cruises on the Baltic of the research vessels r/v Oceania, k/h Oceanograf 2 and the motor launch Sonda 2, as well as from autonomous measurement buoys, the Baltic Beta drilling platform and the shore stations situated along the southern coast of the Baltic.

This system was established as a result of earlier optical, bio-optical and other studies, which enabled the scientific foundations for the remote-sensing of the complex Baltic Sea environment to be laid. Those studies were performed over many years by cooperating teams of scientists from the Institute of Oceanology (Polish Academy of Sciences, Sopot), the Institute of Oceanography (University of Gdańsk), the Institute of Physics (Pomeranian Academy, Słupsk), the Institute of Marine Sciences (University of Szczecin) and the Sea Fisheries Institute (Gdynia). In 2010 the first four of these institutes formed the SatBałtyk Consortium, and as a consequence of winning a competition, were able to jointly carry

out a large research project in 2010—2015: Project No. POIG.01.01.02-22-011/09-00 *The Satellite Monitoring of the Baltic Sea Environment (SatBaltyk)*. As a result, the operational **SatBaltyk System** came into being. The Institute of Oceanology PAN is coordinator of this research, and the initiator and manager of the project was the late Prof. Bogdan Woźniak until the end of 2014. His work was taken up by Assoc. Prof. Mirosława Ostrowska, who has been the Project Manager since 1st January 2015 (earlier she was the Deputy Project Manager).

Most of the parameters currently being monitored by the SatBałtyk System are set out in Table 1, which is a translation of Annex 1 from the brochure (Ostrowska et al., 2015 — in Polish), published in print and in electronic form, accessible at http://www.iopan.gda.pl/baltyk2015/.

With ongoing scientific research continuing to expand knowledge of the Baltic environment, it will become possible to derive ever more accurate mathematical descriptions of the interrelationships among the various processes taking place in the sea and the atmosphere. In consequence, the set of parameters available in the SatBaltyk System describing the Baltic ecosystem will be extended and matched to the needs of its users.

The parameters currently available in the System have been divided into eight groups under the following working headings: 1. Atmosphere, meteorology, 2. Hydrology, 3. Marine optics, 4. Energy balance, 5. Sea water components, 6. Phytoplankton, photosynthesis, 7. Coastal zone, 8. Threats. The spatial distributions of these parameters are systematically monitored and made accessible to users on the System's website (see above) in the form of distribution maps of their values in the Baltic area. From these maps one can read off (and export) the numerical values of these

¹ The DESAMBEM algorithm (DEvelopment of a SAtellite Method for Baltic Ecosystem Monitoring) came into being in 2001–2005 as a result of the implementation of the project. The study and development of a satellite system for monitoring the Baltic Sea ecosystem (project No. PBZ-KBN 056/P04/2001) by the Institute of Oceanology (Polish Academy of Sciences, Sopot) in cooperation with the Institute of Oceanography (University of Gdańsk), the Institute of Physics (Pomeranian Academy, Słupsk), and the Sea Fisheries Institute (Gdynia).

² BALTFOS (BALTic FOrecasting System) is a complex system of prognostic models described in many of the papers cited in the brochure (Ostrowska et al., 2015).

³ Project No. POIG.01.01.02-22-011/09, The Satellite Monitoring of the Baltic Sea Environment SatBaltyk, co-financed by the European Union from the European Regional Development Fund within the framework of the Operational Programme — Innovative Economy; Priority axis 1: Research and development of modern technologies; Action 1.1: Support for scientific research for the building of a knowledge-based economy.

⁴ Sadly, Professor Bogdan Woźniak, died on 30 December 2014, having succumbed to an incurable disease (see *In Memoriam* Oceanologia 57/1, 2015).

IV Chronicle

parameters anywhere on the Baltic and for any length of time during the monitoring period; their changes with time are also available. The System provides descriptions of the relevant parameters and a range of subsidiary information.

References

- Darecki, M., Ficek, D., Krężel, A., Ostrowska, M., Majchrowski, R., Woźniak, S.B., Bradtke, K., Dera, J., Woźniak, B., 2008. Algorithm for the remote sensing of the Baltic ecosystem (DESAM-BEM). Part 2: Empirical validation. Oceanologia 50 (4), 509—538.
- Nowicki, A., Dzierzbicka-Głowacka, L., Janecki, M., Kałas, M., 2015. Assimilation of satellite SST data in the 3D CEMBS model. Oceanologia 57 (1), 17—24, http://dx.doi.org/10.1016/j.oceano.2014. 07.001.
- Ołdakowski, B., Kowalewski, M., Jędrasik, J., Szymelfenig, M., 2005. Ecohydrodynamic model of the Baltic Sea. Part I: Description of the ProDeMo model. Oceanologia 47 (4), 477–516.
- Ostrowska, M., Darecki, M., Kowalewski, M., Krężel, A., Dera, J., 2015. System SatBałtyk: satelitarny monitoring środowiska Bałtyku, struktura, funkcjonowanie, możliwości operacyjne. In: SatBałtyk

- Consortium and IO PAN. Sopot 54 pp., available online (in Polish): http://www.iopan.gda.pl/baltyk2015/
- Woźniak, B., Krężel, A., Darecki, M., Woźniak, S.B., Majchrowski, R., Ostrowska, M., Kozłowski, Ł., Ficek, D., Olszewski, J., Dera, J., 2008. Algorithm for the remote sensing of the Baltic ecosystem (DESAMBEM). Part 1: Mathematical apparatus. Oceanologia 50 (4), 451–508.

Jerzy Dera* Mirosława Ostrowska Institute of Oceanology of the Polish Academy of Sciences, Sopot, Poland

*Corresponding author at: Institute of Oceanology, Polish Academy of Sciences, Powstańców Warszawy 55, Sopot 81-712, Poland *E-mail address*:dera@iopan.gda.pl (J. Dera)

> Received 15 October 2015 Available online 18 November 2015