

POLISH POLAR RESEARCH	14	1	91–98	1993
-----------------------	----	---	-------	------

Maria OLECH¹ and Ryszard LIGOWSKI²

¹ Institute of Botany
Jagiellonian University
Lubicz 46
31-512 Kraków, POLAND

² Laboratory of Polar Biology
Department of Invertebrate Zoology and Hydrobiology
University of Łódź
Banacha str. 12/16
90-237 Łódź, POLAND

Polish Antarctic Bibliography: Botany (1972-1993)

The list contains original papers by Polish authors or co-authors concerning Antarctic or sub-Antarctic plants. The list is supplemented by papers on bacteria and those on general indicators of the amount of plants (chlorophyll content and primary productivity). Antarctic investigations of Polish botanists were carried out mainly during the expeditions to Polish Antarctic Station "H. Arctowski" (King George Island, South Shetlands; 62° 09'S, 58° 28'W) founded 1977 as well as during Polish oceanic expeditions of the BIOMASS project (1981, 1983-1984, 1986-1987) and studies of the ice-edge zone (1988-1989) carried out in the Atlantic sector of Southern Ocean on board of the r/v "Profesor Siedlecki". All these expeditions were organized by the Department of Polar Research, Institute of Ecology, Polish Academy of Sciences headed by Prof. Dr. S. Rakusa-Suszczewski.

K e y w o r d s : botany, oceanobiology, terrestrial botany, Antarctic.

List of papers

- BYSTRZEWSKA G., ŁUKOWSKI A. and LIGOWSKI R. 1989b. Changes of photosynthetic production of organic carbon in Antarctic marine diatoms influenced by Aroclor 1254. — Pol. Polar Res., 10: 125-131.
- CZARNECKI B. and BIAŁASIEWICZ D. 1987. Fungi as a component of the aerosphere in the H. Arctowski Polar Station and its vicinity (King George Island, South Shetlands). — Pol. Polar Res., 8: 153-158.
- CZECZUGA B., GUTKOWSKI R. and CZERPAK R. 1982. Investigations of carotenoids in Embryophyta. II. Musci from the Antarctic. — Nova Hedwigia, 36: 695-701.
- CZECZUGA B., GUTKOWSKI R. and CZERPAK R. 1984. Studies on the carotenoids of the Embryophyta. VII. Representatives of the families Gramineae and Caryophyllaceae from King George Island (South Shetland Islands). — Pol. Polar Res., 5: 123-120.

- CZECZUGA B., GUTKOWSKI R. and CZERPAK R. 1986. Investigation on carotenoids in lichens. V. Lichens from Antarctica. — Pol. Polar Res., 7: 295-303.
- CZECZUGA B. and OLECH M. 1989. Investigations on carotenoids in lichens. XXIV. Further studies of carotenoids in lichens of the Antarctica. — Serie Cientifica Instituto Antartico Chileno, 39: 91-96.
- CZECZUGA B. and XAVIER-FILFO L. 1987. Investigations on carotenoids in lichens. X. Luteoxanthin and Apo-12' — Violaxanthin in lichens from Antarctica. — Serie Cientifica Instituto Antartico Chileno, 36: 151-155.
- CZEKANOWSKA E. and ZABAWSKI J. 1988. Promieniowce glebowe rejonu Zatoki Admiralicji na Wyspie Króla Jerzego, Antarktyda. In: A. Jahn, J. Pereyma, A. Szczepankiewicz-Szmyrka (eds), XV Sympozjum Polarne; stan obecny i wybrane problemy polskich badań polarnych. — Wydawnictwo Uniwersytetu Wrocławskiego, Wrocław: 279-288.
- CZERPAK R., MICAL A., GUTKOWSKI R., SIEGIEŃ I. and JACKIEWICZ I. 1981. Chemism of some species of Antarctic macroalgae of the genera *Adenocystis*, *Himantothallos*, *Leptosomia* and *Monostroma*. Pol. Polar Res., 2: 95-107.
- DOMANOV M.M. and LIPSKI M. 1990. Annual cycle of chlorophyll *a* and primary production of phytoplankton in Admiralty Bay (Antarctica). — Pol. Arch. Hydrobiol., 37: 471-478.
- FABISZEWSKI J., WOJTUN B. 1993. 21. Peat-forming vegetation. In: S. Rakusa-Suszczewski (ed.), The maritime Antarctic coastal ekosystem of Admiralty Bay. — Department of Antarctic Biology PAS, Warsaw: 189 – 195.
- FILCEK K. and ZIELIŃSKI K. 1990. Report on the expedition of Polish biologists to Bunger Hills, East Antarctica, 1988/89. — Pol. Polar Res., 11: 161-167.
- FURMAŃCZYK K. and OCHYRA R. 1982. Plant communities of the Admiralty Bay region (King George Island, South Shetland Islands, Antarctic). I. Jasnorzewski Gardens. — Pol. Polar Res., 3: 25-39.
- FURMAŃCZYK K. and ZIELIŃSKI K. 1982. Distribution of macroalgae groupings in shallow waters of Admiralty Bay (King George Island, South Shetland Islands, Antarctic), plotted with the help of air photographs analysis. — Pol. Polar Res., 3: 41-47.
- HAPTER R., WOŹNIAK B. and DOBROWOLSKI K. 1984. Primary production in Ezcurra Inlet during the Antarctic summer of 1977/1978. — Oceanologia, 15 (1984): 175-184.
- HARMATA H. and OLECH M. 1991. Transect for aerobiological studies from Antarctica to Poland. — Grana, 30: 458-463.
- JORDAN R.W., LIGOWSKI R., NÖTHIG E-M. and PRIDDLE J. 1991. The diatom genus *Proboscia* in the Antarctic waters. — Diatom Research, 6: 63-78.
- KAWECKA B. 1986. Ecology of snow algae. — Pol. Polar Res., 7: 407-415; (a review).
- KAWECKA B. and OLECH M. 1993. Diatom communities in the Vanishing and Ornithologist Creeks (King George Island, South Shetlands, Antarctica), — Hydrobiologia, 269/270: 327-333
- KITTEL W. and LIGOWSKI R. 1980. Algae found in the food of *Euphausia crystallorophias* (Crustacea). — Pol. Polar Res., 1: 129-137.
- KOPCZYŃSKA E.E. 1980. Small-scale vertical distribution of phytoplankton in Ezcurra Inlet, Admiralty Bay, South Shetland Islands. — Pol. Polar Res., 1: 77-96.
- KOPCZYŃSKA E.E. 1981. Periodicity and composition of summer phytoplankton in Ezcurra Inlet, Admiralty Bay, South Shetland Islands. — Pol. Polar Res., 2: 55-70.
- KOPCZYŃSKA E.E. 1988. Spatial structure of phytoplankton in the Scotia Front west of Elephant Island (BIOMASS III, October-November 1986). — Pol. Polar Res., 9: 231-242.
- KOPCZYŃSKA E.E. 1991. Distribution of microflagellates and diatoms in the sea-ice zone between Elephant Island and the South Orkney Islands (December 1988-January 1989). — Pol. Polar Res., 12: 515-528.
- KOPCZYŃSKA E.E. 1992. Dominance of microflagellates over diatoms in the Antarctic areas of deep vertical mixing and krill concentrations. — J. Plankton Res., 15: 1031-1054.

- KOPCZYŃSKA E. and LIGOWSKI R. 1982. Phytoplankton abundance and distribution in the southern Drake Passage and the Bransfield Strait in February March 1981 (BIOMASS-SIBEX). — Pol. Polar Res., 3: 193-202.
- KOPCZYŃSKA E. and LIGOWSKI R. 1985a. Distribution and composition of phytoplankton. — Atlas of Polish oceanographic observations in Antarctic waters 1981. — BIOMASS. Publ. by SCAR and SCOR, Scott Polar Research Inst., Cambridge: 54-55.
- KOPCZYŃSKA E. and LIGOWSKI R. 1985b. Phytoplankton composition and biomass distribution in the southern Drake Passage, the Bransfield Strait and the adjacent waters of the Weddell Sea in December 1983 — January 1984 (BIOMASS-SIBEX). — Pol. Polar Res., 6: 65-77.
- KOPCZYŃSKA E.E., WEBER L.H. and EL-SAYED S.Z. 1985. Phytoplankton data from the February-April 1980 cruise of the M.V.S.A. Agulhas: quantitative species counts and net tow data from the Indian Sector of the Antarctic Ocean. — Texas A & M Research Foundation Project RF-4539, Tech. Rep.; 73 pp.
- KOPCZYŃSKA E.E., WEBER L.H. and EL-SAYED S.Z. 1986. Phytoplankton species composition and abundance in the Indian sector of the Antarctic Ocean. — Polar Biol., 6: 161-169.
- KUC M. 1968. Some mosses from the Antarctic oasis. — Rev. Bryol. Lichenol., 36: 655-672.
- KUTA E., OCHYRA R. and PRZYWARA L. 1982. Karyological studies on Antarctic mosses. I. — The Bryologist, 85: 131-138.
- LIGOWSKI R. 1982. Phytogenic food of *Euphausia superba* Dana caught in the southern Drake Passage and Bransfield Strait, February-March 1981 (BIOMASS-FIBEX). Pol. Polar Res., 3: 281-288.
- LIGOWSKI R. 1983. Phytoplankton of the Olaf Prydz Bay (Indian Ocean, East Antarctica) in February-March 1969. — Pol. Polar Res., 4: 21-32.
- LIGOWSKI R. 1986. Net phytoplankton of the Admiralty Bay (King George Island, South Shetland Islands) in 1983. — Pol. Polar Res., 7: 127-154.
- LIGOWSKI R., 1987. Sea ice microalgae community of the floating ice in the Admiralty Bay (South Shetland Islands). — Pol. Polar Res., 8: 367-380.
- LIGOWSKI R., 1988. Distribution of net phytoplankton in the Scotia Front west of Elephant Island (BIOMASS III, October-November 1986). — Pol. Polar Res., 9: 243-264.
- LIGOWSKI R. 1989. Glony zasiedlające dryfujący lód morski w Antarktyce. Dorobek i perspektywy polskich badań polarnych. — XVI Sympozjum Polarne, Toruń, UMK: 226-227.
- LIGOWSKI R. 1991. Sea ice microalgae at the northern boundary of the pack ice between Elephant Island and South Orkney Islands (December 1988 — January 1989). — Pol. Polar Res., 12: 547-564.
- LIGOWSKI R. 1992a. 9. Mikrofitobentos. In: S. Rakusa-Suszczewski (ed.), Zatoka Admiralicji, Antarktyka. Ekosystem strefy przybrzeżnej morskiej Antarktyki. — Oficyna Wydawnicza IE PAN, Dziekanów Leśny: 87-92.
- LIGOWSKI R. 1992b. 8. Glony lodu morskiego. In: S. Rakusa-Suszczewski (ed.), Zatoka Admiralicji, Antarktyka. Ekosystem strefy przybrzeżnej morskiej Antarktyki. — Oficyna Wydawnicza IE PAN, Dziekanów Leśny: 83-86.
- LIGOWSKI R. 1993a. Distribution of Antarctic diatoms in different habitats and its importance as food for krill. In: A. Leventer (ed.), Proceedings of the Fourth Polar Diatom Colloquium, Department of Quaternary Research, Stockholm, Sweden, August 24—28, 1992. BPRC Misc. Series M — 323, Byrd Polar Research Center, Columbus: 8 — 10.
- LIGOWSKI R. 1993b. 8. Sea ice algae. In: S. Rakusa-Suszczewski (ed.), The maritime Antarctic coastal ekosystem of Admiralty Bay. — Department of Antarctic Biology PAS, Warsaw: 49 — 51.
- LIGOWSKI R. 1993c. 9. Microphytobenthos. In: S. Rakusa-Suszczewski (ed.), The maritime Antarctic coastal ekosystem of Admiralty Bay. — Department of Antarctic Biology PAS, Warsaw: 53 — 56.
- LIGOWSKI R. 1993d. Morskie okrzemki (Bacillariophyceae) w ekosystemie Antarktyki i ich znaczenie jako wskaźnika źródła pokarmu kryla (*Euphausia superba* Dana). [Marine diatoms (Bacillariophyceae) in Antarctic ecosystem and their importance as an indicator of food source of krill (*Euphausia superba* Dana)]. Wydawnictwo Uniwersytetu Łódzkiego, Łódź: 1-241.

- LIGOWSKI R., GÓDLEWSKI M. and ŁUKOWSKI A. 1992. Sea ice diatoms and ice edge planktonic diatoms at the northern limit of the Weddell Sea pack ice. — Proc. NIPR Symp. Polar Biol., 5: 9-20.
- LIGOWSKI R. and KOPCZYŃSKA E.E. 1985. Distribution of particulate matter. — Atlas of Polish oceanographic observations in Antarctic waters 1981. BIOMASS. Publ. by SCAR and SCOR, Scott Polar Research Inst., Cambridge: 51-53.
- LIGOWSKI R. and KOPCZYŃSKA E.E. 1991. Distribution of net phytoplankton in the sea—ice zone between Elephant Island and the South Orkney Islands (December 1988 — January 1989). — Pol. Polar Res., 12: 529-546.
- LIGOWSKI R. and KOPCZYŃSKA E.E. 1992. 7. FITOPLANKTON. In: S. Rakusa-Suszczewski (ed.), Zatoka Admiralicji, Antarktyka. Ekosystem strefy przybrzeżnej morskiej Antarktyki. — Oficyna Wydawnicza IE PAN, Dziekanów Leśny: 77-82.
- LIGOWSKI R., KOPCZYŃSKA E. E. 1993. 7. Phytoplankton. In: S. Rakusa-Suszczewski (ed.), The maritime Antarctic coastal ekosystem of Admiralty Bay. — Department of Antarctic Biology PAS, Warsaw: 45—48.
- LIGOWSKI R., LIPSKI M. and ZIELIŃSKI K. 1988. Algae of drifting sea ice north of Elephant Island (BIOMASS III, October 1986). — Pol. Polar Res., 9: 217-229.
- LINDSAY D.C. and OCHYRA R. 1982 (1984). The lichen genus *Hypogymnia* (Nyl.) Nyl. in Antarctic. — Fragm. Flor. et Geobot., 28: 413-416.
- LIPSKI M. 1982. The distribution of chlorophyll a in relation to the water masses in the southern Drake Passage and the Bransfield Strat (BIOMASS-FIBEX, February, March 1981). — Pol. Polar Res., 3: 143-152.
- LIPSKI M. 1985a. Chlorophyll a in the Bransfield Strait and the southern part of Drake Passage during BIOMASS-SIBEX (December 1983 — January 1984). — Pol. Polar Res., 6: 21-30.
- LIPSKI M. 1985b. Distribution of chlorophyll a. — Atlas of Polish oceanographic observations in Antarctic waters 1981. — BIOMASS. Publ. by SCAR and SCOR, Scott Polar Research Inst., Cambridge: 49-50.
- LIPSKI M. 1987. Variations of physical conditions, nutrients and chlorophyll a contents in Admiralty Bay (King George Island, South Shetlands, 1979). Pol. Polar Res., 8: 307-332.
- LIPSKI M. 1991. Environmental conditions and phytoplankton standing crop near pack-ice in the Scotia Sea (December 1988 — January 1989). — Pol. Polar Res., 12: 507-513.
- LIPSKI M. and RAKUSA-SUSZCZEWSKI S. 1990. Early summer pattern of vertical distribution of chlorophyll a (Bransfield Strait, Antarctica; November 1986). — Pol. Arch. Hydrobiol., 37: 287-293.
- LIPSKI M. and RAKUSA SUSZCZEWSKI S. 1992. 5. Produkcja pierwotna. In: S. Rakusa-Suszczewski (ed.), Zatoka Admiralicji, Antarktyka. Ekosystem strefy przybrzeżnej morskiej Antarktyki. — Oficyna Wydawnicza IE PAN, Dziekanów Leśny: 87-92.
- LIPSKI M., RAKUSA-SUSZCZEWSKI S. 1993. 5.4 Primary production. In: S. Rakusa-Suszczewski (ed.), The maritime Antarctic coastal ekosystem of Admiralty Bay. — Department of Antarctic Biology PAS, Warsaw: 35 — 37.
- LIPSKI M. and ZIELIŃSKI K. 1988. Coarse-scale structure of chlorophyll a distribution in Scotia Front west of Elephant Island (BIOMASS III, October-November 1986). — Pol. Polar Res., 9: 195-201.
- ŁUKOWSKI A.B. and LIGOWSKI R. 1987. Cumulation of chloroorganic insecticides by Antarctic marine diatoms. — Pol. Polar Res., 8: 167-177.
- ŁUKOWSKI A.B. and LIGOWSKI R. 1988. Contamination of Antarctic marine phytoplankton by chlorinated hydrocarbons (BIOMASS III). — Pol. Polar Res., 9: 339-408.
- ŁUKOWSKI A.B., BYSTRZEJEWSKA G. and LIGOWSKI R. 1989. Changes in photosynthetic assimilation of $^{14}\text{CO}_2$ in Antarctic phytoplankton induced by some selected chlorinated hydrocarbons (Aroclor 1254, Aroclor 1242, pp'DDE, pp'DDT and Lindane). — Pol. Polar. Res., 10: 117-123.

- MASSALSKI A., MROZIŃSKA T. and OLECH M. (in press). Some interesting species of the genera *Oscillatoria*, *Aphanotheca*, *Phormidium* (Cyanophyta) and accompanying diatoms from Antarctica. — *Nova Hedwigia*.
- MASSALSKI A., MROZIŃSKA T. and OLECH M. (in press). *Lobococcus irregularis* (Boye-Pet.) Reisigl var. *antarcticus* var. nov. from King George Island, South Shetland Islands, Antarctica and its ultrastructure. — *Nowa Hedwigia*.
- MYRCHA A. 1983. Polskie badania Antarktyki w dziedzinie limnologii i ekologii lądowej. — Kosmos, 32: 265-276.
- OCHI H. and OCHYRA R. 1986. *Bryum dichotomum* Hedw., a species new to the Antarctic. — *Lindbergia*, 11: 157-160.
- OCHYRA R. 1983. Świat roślinny Antarktyki. — Kosmos, 32: 277-292.
- OCHYRA R. 1984a. Zbiorowiska roślinne Antarktyki. — Kosmos, 33: 43-56.
- OCHYRA R. 1984b. Bryophyta Antarctica exiccata. — (Distr. by Horton D.H. University of Alberta, Canada): 1-27.
- OCHYRA R. 1985. On the Antarctic species of the family Orthotrichaceae. — *Lindbergia*, 11: 141-146.
- OCHYRA R. 1987a. Revision of the moss genus *Sciaromium* (Mitt.) Mitt. II. The section *Limbidium* Dusen, with a description of *Vittia* gen-nov. (Vittiacae fam. nov.). — I. *Hattori Bot. Lab.*, 57: 127-137.
- OCHYRA R. 1987b. *Schistidium steerei* (Musci, Grimmiaceae) a remarkable new species from the Antarctic, with a note on *Schistidium obtusifolium*. — *Mem of New York Gard.*, 45: 607-614.
- OCHYRA R. 1988. What is *Dichelyma antarcticum* C.Muell.? — *Pol. Polar Res.*, 8: 403,409.
- OCHYRA R. 1990. The discovery of the South Georgian endemic species *Schistidium urnulaceum* (C.Muell.) B.G. Bell (Musci: Grimmiaceae) in the Antarctic. — *Pol. Polar Res.*, 11: 133-146.
- OCHYRA R. and BARTLETT I.K. 1986. Identity of *Drepanocladus fontinaliopsis* (C.Muell.) Broth. ex Par. (Bryopsida, Amblystegiaceae). — *N.Z. J. Bot.*, 24: 361-368.
- OCHYRA R. and BELL B.G. 1984. A record of *Schistidium falcatum* (Bryophyta: Musci) from the Antarctic. — *Brit. Antarct. Surv. Bull.*, 64: 77-79.
- OCHYRA R. and LIGHTOWLERS P.J. 1988. The South Georgian moss flora: *Vittia*. — *Brit. Antarct. Surv. Bull.*, 80: 121-127.
- OCHYRA R. and NEWTON M.E. 1985. The taxonomy and distribution of *Dicranella cardotii* (R.Br.ter.) Dix., an addition to the moss flora of Antarctica. — *Lindbergia*, 11: 94-98.
- OCHYRA R. and OCHI H. 1986. New or otherwise interesting species of the genus *Bryum* (Musci, Bryaceae) in the Antarctic. — *Acta Bot. Hung.*, 32: 209-219.
- OCHYRA R., PRZYWARA L. and KUTA E. 1982. Karyological studies on some Antarctic liverworts. — *J. Bryol.*, 12: 259-263.
- OCHYRA R. and VANA J. 1989a. The hepaticas of King George Island, South Shetland Islands, Antarctica, with particular reference to the Admiralty Bay region. — *Pol. Polar Res.*, 10: 183-210.
- OCHYRA R. and VANA J. 1989b. The hepaticas reported from the Antarctic and an outline of their phytogeography. — *Pol. Polar Res.*, 10: 211-229.
- OCHYRA R., VITT D.H. and HORTON D.G. 1986. An annotate guide to Bryophyta Antarctica exsiccata. — *Cryptogamie, Bryol. Lichenol.*, 7: 53-62.
- OLECH M. 1989a. Preliminary Botanical Studies in Johnsons Dock Area (Livingston, Antarctica). — *Bull Pol. Acad. Sci.*, 37: 223-230.
- OLECH M. 1989b. Lichens from the Admiralty Bay region, King George Island, South Shetland Islands, Antarctica. — *Acta Soc. Bot. Pol.*, 58: 493-512.
- OLECH M. 1989c. Preliminary botanical studies at Bunger Oasis, East Antarctica. — *Pol. Polar Res.*, 10: 605-609.
- OLECH M. 1990. Preliminary studies on ornithocaprophilous lichens of the Arctic and Antarctic regions. — *Proc. NIPR Symp. Polar Biol.*, Tokyo, 3: 218-223.
- OLECH M. 1991a. *Japewia tornoensis* (Lichenes), a species new to the Antarctic. — *Polish Bot. Stud.*, 2: 217-218.

- OLECH M. 1991b. Preliminary observation on the content of heavy metals in thalli of *Usnea antarctica* Du Rietz (Lichenes) in the vicinity of the "H. Arctowski" Polish Antarctic Station. — Pol. Polar Res., 12: 129-131.
- OLECH M. 1991c. Differentiation and ecological character of vegetation of Western Antarctica (King George Island). — Antarctic Science, Abstr.: 108.
- OLECH M. 1992a. 19. Rośliny niższe. In: S. Rakusa-Suszczewski (ed.), Zatoka Admiralicji, Antarktyka. Ekoystem strefy przybrzeżnej morskiej Antarktyki. — Oficyna Wydawnicza IE PAN, Dziekanów Leśny: 241-246.
- OLECH M. 1992b. Identification of lichen propagules. In: D.D. Wynn-Williams (ed.), BIOTAS manual of methods for Antarctic terrestrial and freshwater research. — Scientific Committee on Antarctic Research, Cambridge: 1-2.
- OLECH M. 1993. 19. Lower plants. In: S. Rakusa-Suszczewski (ed.), The maritime Antarctic coastal ekosystem of Admiralty Bay. — Department of Antarctic Biology PAS, Warsaw: 173-179.
- OLECH M. and ALSTRUP V. 1990. *Thelocarpon cyaneum* sp.nov. — Nord. J. Bot., 9: 575-576.
- OLECH M. and SOCHTIG U. 1993 Four new species of *Caloplaca* from Antarctica. — Lichenologist 25(3): 261-269.
- OPALIŃSKI K.W. 1972a. Flora and fauna in freshwater bodies of the Thala Hills Oasis (Enderby Land, Eastern Antarctica). — Pol. Arch. Hydrobiol., 19: 383-398.
- OPALIŃSKI K.W. 1972b. Freshwater fauna and flora in Haswell Island (Queen Mary Land, Eastern Antarctica). — Pol. Arch. Hydrobiol., 19: 377-381.
- OPALIŃSKI K.W. 1973. Diatomovye vodorosli vodoemov v okresnostiah stancji Molodežnoj. — Inf. Biull. Sov. Antarkt. Eksped., 87: 70-73.
- PEŁCZERZEWSKI K. 1980. Organic carbon (DOC and POC) in waters of the Admiralty Bay (King George Island, South Shetland Islands). — Pol. Polar Res., 1: 67-75.
- PIETR S.J. 1986. The physiological groups of microorganisms in different soils at Admiralty Bay region (King George Island, South Shetland Islands, Antarctica). — Pol. Polar Res., 7: 395-406.
- PIETR S.J. 1992. 18. Mikroorganizmy glebowe. In: S Rakusa-Suszczewski (ed.), Zatoka Admiralicji, Antarktyka. Ekoystem strefy przybrzeżnej morskiej Antarktyki. — Oficyna Wydawnicza IE PAN, Dziekanów Leśny: 231-240.
- PIETR S. J. 1993. 18. Soil microorganisms. In: S. Rakusa-Suszczewski (ed.), The maritime Antarctic coastal ekosystem of Admiralty Bay. — Department of Antarctic Biology PAS, Warsaw: 167—172.
- PIETR S.J., TATAR A. and MYRCHA A. 1983. Mineralization of penguin excrements in the Admiralty Bay region (King George Island, South Shetlands, Antarctica). — Pol. Polar Res., 4: 97-112.
- PRZYWARA L., KUTA E. and OCHYRA R. 1985. Cytological studies on Antarctic mosses. II. — J. Hattori Bot. Lab., 57: 127-137.
- RAKUSA-SUSZCZEWSKI S. 1988. Bacteria on the body surface and in the stomach of krill (*Euphausia superba* Dana) (BIOMASS III). — Pol. Polar Res., 9: 409-412.
- RAKUSA-SUSZCZEWSKI S. 1993. 23. Matter transport and budgets in the Admiralty Bay area. In: S. Rakusa-Suszczewski (ed.), The maritime Antarctic coastal ekosystem of Admiralty Bay. — Department of Antarctic Biology PAS, Warsaw: 199—212.
- RAKUSA-SUSZCZEWSKI S. and ZDANOWSKI M.K. 1980. Decomposition of *Euphausia superba* Dana. — Pol. Arch. Hydrobiol., 27: 305-311.
- RAKUSA-SUSZCZEWSKI S. and ZDANOWSKI M.K. 1989. Bacteria in krill (*Euphausia superba* Dana) stomach. — Acta Protozool., 28: 87-90.
- RAKUSA-SUSZCZEWSKI S. and ZIELIŃSKI K. 1992. 10. Makrofitobentos. In: S. Rakusa-Suszczewski (ed.), Zatoka Admiralicji, Antarktyka. Ekoystem strefy przybrzeżnej morskiej Antarktyki. — Oficyna Wydawnicza IE PAN, Dziekanów Leśny: 77-82.

- RAKUSA-SUSCZEWSKI S., ZIELIŃSKI K. 1993 10. Macrophytobenthos. In: S. Rakusa-Suszczewski (ed.), The maritime Antarctic coastal ekosystem of Admiralty Bay. — Department of Antarctic Biology PAS, Warsaw: 57—60.
- SZYM CZYK S., OLECH M. and KAJFOSZ J. 1991. Air pollution studies by PIXE analysis of lichens. — 5-th Meeting on Nuclear Analytical Methods, Dresden, 13-17 May 1991; Abstr.: 23.
- TOKARCZYK R. 1986. Annual cycle of chlorophyll a in Admiralty Bay 1981-1982 (King George, South Shetlands). — Pol. Arch. Hydrobiol., 33: 177-188.
- WITEK Z., PASTUSZAK M. and GRELOWSKI A. 1980. The phenomena of local phytoplankton decline during vegetative period in western Antarctic. — International Council for the Exploration of the Sea, L47: 1-14.
- WITEK Z., PASTUSZAK M and GRELOWSKI A. 1982. Net-phytoplankton abundance in western Antarctic and its relation to environmental conditions. — Meeresforsch., 29: 166-180.
- XAVIER-FILHO L.X., KOŁAKOWSKA A. and VINCENTE C. 1986. Carotenoid composition of *Calopalaca regalis* (Vain.) Zahlbr. (Lichenes) and of penguin feaces at King George Island (Antarctica). — Pol. Polar Res., 7: 289-294.
- ZABAWSKI J. and PIASECKI J. 1981. Studia nad mikroflorą glebową wyspy King George. — Materiały Ogólnopolskiego Seminarium IUNG, Puławy, 2: 131-138.
- ZARZYCKI K. 1992. 20. Rośliny naczyniowe i lądowe biotopy. In: S. Rakusa-Suszczewski (ed.), Zatoka Admiralicji, Antarktyka. Ekosystem strefy przybrzeżnej morskiej Antarktyki. — Oficyna Wydawnicza IE PAN, Dziekanów Leśny: 247-256.
- ZARZYCKI K. 1993. 20. Vascular plants and terrestrial biotopes. In: S. Rakusa-Suszczewski (ed.), The maritime Antarctic coastal ekosystem of Admiralty Bay. — Department of Antarctic Biology, PAS, Warsaw: 181—187.
- ZDANOWSKI M.K. 1980. Nutritive value of *Euphausia superba* Dana evaluated in assay with *Tetrahymena thermophila* D III. — Bull. Ac. Pol. Biol. Sci., 28: 491-496.
- ZDANOWSKI M.K. 1981. Growth of bacteria in the course of decomposition of *Euphausia superba* Dana. — Bull. Ac. Pol. Biol. Sci., 29: 155-161.
- ZDANOWSKI M.K. 1982. Distribution of saprophytic bacteria in the southern Drake Passage and the Bransfield Strait (February-March 1981, BIOMASS-FIBEX). — Pol. Polar, Res., 3: 183-191.
- ZDANOWSKI M.K. 1985a. Distribution of bacteria, organic carbon and amino acids in the southern part of Drake Passage and in Bransfield Strait during the BIOMASS-SIBEX (December 1983 — January 1984). — Pol. Polar Res., 6: 43-63.
- ZADANOWSKI M.K. 1985b. Distribution of saprophytic bacteria. — Atlas of Polish oceanographic observations in Antarctic waters 1981. BIOMASS. Publ. by SCAR and SCOR, Scott Polar Inst., Cambridge: 44-46.
- ZDANOWSKI M.K. 1986. Bakteriologische Forschungen mit dem Fluoreszenzmikroskop FLUO-VAL 2 in der Antarktis. — J. R., 1: 44-45.
- ZDANOWSKI M.K. 1988. Bacteria in pack-ice north of Elephant Island (BIOMASS III, October 1986) — Pol. Polar. Res., 9: 203-216.
- ZDANOWSKI M.K. 1992a. 6. Bakterioplankton. In: S. Rakusa-Suszczewski (ed.), Zatoka Admiralicji, Antarktyka. Ekosystem strefy przybrzeżnej morskiej Antarktyki. — Oficyna Wydawnicza IE PAN, Dziekanów Leśny: 73-76.
- ZDANOWSKI M.K. 1992b 11.3.4. Degradacja kryla. In: S. Rakusa-Suszczewski (ed.), Zatoka Admiralicji, Antarktyka. Ekosystem strefy przybrzeżnej morskiej Antarktyki. — Oficyna Wydawnicza IE PAN, Dziekanów Leśny: 119-120.
- ZDANOWSKI M. K., DONACHIE S. P. 1993a. 6. Bacterioplankton. In: S. Rakusa-Suszczewski (ed.), The maritime Antarctic coastal ekosystem of Admiralty Bay. — Department of Antarctic Biology PAS, Warsaw: 39 — 44.
- ZDANOWSKI M. K., DONACHIE S. P. 1993b. Bacteria in the sea-ice zone between Elephant Island and the South Orkneys during the Polish Sea-ice Zone Expedition, (December 1988 — January 1989). Pol. Biol., 13: 245 — 254.

- ZIELIŃSKI K. 1988. Benthic macroalgae of Admiralty Bay (King George Island, South Shetland Islands) and circulation of algal matter between the water and the shore. — Pol. Polar Res., 2: 71-94.
- ZIELIŃSKI K. 1990. Bottom macroalgae of the Admiralty Bay (King George Island, South Shetlands, Antarctica). — Pol. Polar Res., 11: 95-131.